**	· · · · · · · · · · · · · · · · · · ·	
Notice of Allowability	Application No.	Applicant(s)
	09/805,653	BUECHLER, KENNETH F.
	Examiner	Art Unit
	Lyle A Alexander	1743
The MAILING DATE of this communication apportant apportant and serious allowable, PROSECUTION ON THE MERITS IS therewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT ROT THE Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this a ) or other appropriate communication IGHTS. This application is subjection	application. If not included ion will be mailed in due course. <b>THIS</b>
1. $igspace$ This communication is responsive to <u>the 1/5/04 and 2/3/04</u>	4 amendments .	
2. $igotimes$ The allowed claim(s) is/are $74-75,77-90,92-96$ and $98-113$	3 renumbered as 1-37 respectively	
3. $igotimes$ The drawings filed on <u>10 July 2000</u> are accepted by the Ex	xaminer.	
4. Acknowledgment is made of a claim for foreign priority unall All b) Some* c) None of the:  1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)).	e been received. e been received in Application No.	· · · · · · · · · · · · · · · · · · ·
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		ly complying with the requirements
<ol> <li>A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which giv</li> </ol>		
6. CORRECTED DRAWINGS ( as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1	son's Patent Drawing Review (PT 's Amendment / Comment or in the 1.84(c)) should be written on the dra	e Office action of wings in the front (not the back) of
each sheet. Replacement sheet(s) should be labeled as such in to a DEPOSIT OF and/or INFORMATION about the deposit.	_	
attached Examiner's comment regarding REQUIREMENT		
•		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 🖂 Notice of Informa	I Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summa	, , , , , , , ,
	Paper No./Mail [	Date <u>2/3/04</u> .
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date <u>11/6/03;3/13/01</u></li> </ol>	08), 7. ⊠ Examiner's Amer	idment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's State	ment of Reasons for Allowance
of Biological Material	9.  Other	
		Lyle A Alexander Primary Examiner Art Unit: 1743

Application/Control Number: 09/805,653

Art Unit: 1743

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Wilson on 2/3/04.

In the specification on page 1 line 10 "(pending)" has been change to – filed 3/3/97, now USP 6,143,576--, in line 16 "(pending)" has been change to – filed 7/30/97, now USP 6,271,040--, line 17 "(pending)" has been change to – filed 3/3/97, now USP 6,143,576--. Also in the specification, page 4 line 23 "3" has been changed to –3 A-B--, line 29 "6" has been changed to –6 A-F--, line 30 "7" has been changed to –7A-F—and line 31 "8" has been changed to –8 A-F--.

The following is an examiner's statement of reasons for allowance: The cited prior art fails to teach or suggest the claimed diagnostic device with a nonabsorbent surface comprising a width dimension substantially perpendicular to the direction of fluid flow through the capillary space where each discrete capture zone spans the width dimension.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 1743

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lyle A Alexander whose telephone number is 571-272-1254. The examiner can normally be reached on Monday, Wednesday and Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on 571-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Lyle A Alexander Primary Examiner Art Unit 1743